


MIXPRO 14 floor-screed | ref.30760

Chassis



| | | |
|----|--------|---|
| 1 | 12087 | MIXPRO 14 plastic raiser |
| 2 | C20156 | MIXPRO 14 safety grid |
| 3 | C20225 | MIXPRO 14 right arm |
| 4 | 12262 | Plastic thumb wheel M 10 x 30 |
| 5 | C20161 | MIXPRO 14 cleaning part |
| 6 | 30145 | Ø 40 x 20 M10 stop |
| 7 | 90692 | Complete wheel 300 shaft of 20 |
| 8 | 90281 | Chromed clips Ø 20 |
| 9 | 20001 | EUROPRO 30+,36 and 40 compressor arm button |
| 10 | 60040 | Compressor trigger spring |
| 11 | 90179 | EUROPRO 30+,36 and 40 compressor arm latch |

Transmission




| | | | | | |
|----|--------|--|----|--------------|---|
| 1 | 12081 | 1,5 kW geared motor for MIXPRO 14, MPE 200 & AG 140 | 16 | 12221 | GEKA coupling plug |
| 2 | 30082 | Nickel plated watertight cable gland of 11 | 17 | 12736 | MIXPRO 14 Version 2 mixing chamber flow meter supply hose |
| 3 | 80446 | Cable gland reduction M 25-11 | 18 | 12117 | 3/4" GEKA threaded coupling |
| 4 | 80449 | Nickel plated watertight cable gland of M 25 | 19 | MI7009500400 | EUROPRO MAP 3 MINI pump rotor |
| 5 | C20150 | MIXPRO 14 motor support | 20 | MI3F00600400 | EUROPRO MAP 3 MINI pump stator |
| 6 | 12120 | Grid safety sensor for JETMIX, MIXPRO 14, 70 & 100 | 21 | 30822 | EUROPRO MAP 3 MINI pump rotor/stator kit |
| 7 | C20243 | MIXPRO 14 rotor dismounting key | 22 | M10596 | Fixation tie rod for MIXER 8 |
| 8 | C21403 | MIXPRO 14 motor deflector | 23 | 30135 | 1/4" mini lux valve |
| 9 | 12131 | OLFLEX CLASSIC 110 8G1.5 electrical cable by the metre | 24 | 80070 | Axial manometer 1/4" conical oil 50 mm 0 to 60 bar |
| 10 | 12093 | Male insert 10 p + T | 25 | 90798 | M6 x 10 cylindrical head screw - CP60 |
| 11 | 90600 | 16 nickel plated waterproof cable gland | 26 | 12765 | Copper seal for JETPRO 80 pump nose |
| 12 | 13051 | 4 PVI hood - lateral | 27 | M10079 | MIXPRO 14 cage cover |
| 13 | C20241 | MIXPRO 14 motor support locking axis | 28 | 12126 | MIXPRO 14 pump head manometer membrane |
| 14 | M10152 | MIXPRO 14 motor shaft | 29 | M10384 | MIXPRO 14 pump head flange |
| 15 | C20215 | MIXPRO 14 mixing shaft | 30 | 70002 | 1" threaded adapter for 4 to 14P |

SPARE PARTS

MIXPRO 14 floor-screed | ref.30760

Hydraulic system




| | | | | | |
|----|---------|--|----|-------|---|
| 1 | 70035 | 3/8" female tapped quick-connector | 21 | 30135 | 1/4" mini lux valve |
| 2 | 80092 | Male quick fit coupling threaded 3/8" Ø 6 | 22 | 30122 | T BP F1/2 x M1/2 x F1/2 |
| 3 | 30288 | Ø 16 stainless steel narrow washer | 23 | 30119 | Reduction BP 1/2 MaleC x 1/4 FemaleD |
| 4 | 30367 | Nipple BP 3/8 MaleC x 3/8 MaleC | 24 | 80700 | Cylindrical oil 1/4 axial manometer 50 mm 0 to 16 bar |
| 5 | 70024 | Elbow BP 90° 3/8 FemaleD x 3/8 FemaleD | 25 | 11646 | Elbow BP 90° 1/2" MaleC x 1/2" MaleC |
| 6 | 90849 | AG flow meter air hose | 26 | 80323 | Reduction BP 3/4 MaleC x 1/2FemaleD |
| 7 | M10323 | Spraying machine filter body plug | 27 | 80128 | Filter for 3/4" brass quick connector |
| 8 | 1032095 | O-ring 12.42 x 1.78 | 28 | 80124 | 3/4" plastic quick connector |
| 9 | 12502 | 50 meshes hopper filter | 29 | 91054 | Reduction BP 1" MaleC x 1/2 FemaleD |
| 10 | M10322 | Filter body for spraying machine | 30 | 70002 | 1" threaded adapter for 4 to 14P |
| 11 | 91053 | Nipple BP 3/8 MaleD x 3/8 FemaleD | 31 | 30369 | Nipple BP 1/2 MaleC x 1/2 MaleC |
| 12 | 30288 | Ø 16 stainless steel narrow washer | 32 | 90023 | Red handle valve M1/2 x F1/2 |
| 13 | 30005 | Flowmeter for EUROPRO 4-6-8-14 and 24 P | 33 | 12064 | X BP 4 x 1/2"Female |
| 14 | M10231 | Wheel for needle valve MIXPRO 14 | 34 | 90243 | Reduction BP 1/2 MaleC x 1/8 FemaleD |
| 15 | 12470 | Needle valve 1/2"F x 1/2"F MIXPRO 14 | 35 | 12057 | MIXPRO 14 pressure switch 1.6 NO tare |
| 16 | 12526 | Nipple BP 3/4" FemaleD x 1/2" MaleD | 36 | 12891 | MIXPRO 14 & C.P 60 pressure switch connector |
| 17 | 12341 | Flowmeter electrovalve for MIXPRO 14 | 37 | 90483 | Elbow BP 90° 1/2 MaleC x 1/2 FemaleD |
| 18 | 11311 | 3/4 femaleD x 3/4 maleD low pressure nipple | 38 | 30132 | Union coupling 1/2 |
| 19 | 13502 | 1,5 to 6 bar water pressure regulator with purge | 39 | 12119 | MIXPRO 14 & 28 water pump |
| 20 | 12526 | Nipple BP 3/4" FemaleD x 1/2" MaleD | | | |

EUROMAIR

Edition of 31/08/2022

Electrical box



| | | |
|----|-------|---|
| 1 | 90214 | Power cable with molded plug 3G 2,5 mm ² |
| 2 | 12410 | Self-gripping collar with loop 12,7 x 228 mm |
| 3 | 13015 | Hanging EMERGENCY STOP button Ø16 |
| 4 | 13008 | MIXPRO 14 front with membrane |
| 5 | 11914 | Female insert 4p + G |
| 6 | 12535 | 2 PIV cover with MIXPRO 14 gasket |
| 7 | 11915 | 1 lever blowing machine insulating base 3 p + T |
| 8 | 80450 | cable gland for 11mm brass supply cable |
| 9 | 12096 | 4 PIV cover |
| 10 | 12092 | Female insert 10 p + T |
| 11 | 12094 | Base 10 p + T - 2 levers |
| 12 | 30671 | MIXPRO 14 electronic card |
| 13 | 80458 | Inverter for 8P, 14P, CP20, MIXPRO 14 and 100, 9000z, AG140, MPE200 |

| | | |
|----|-------|---|
| 14 | 11772 | 12 pins female connector |
| 15 | 11771 | 12 pins male connector |
| 16 | 12100 | EUROPRO MIXPRO 14 electrical box gasket |
| 17 | 80397 | Water exhaust cork for electrical box |
| 18 | 11327 | Cable gland locknut of M16 |
| 19 | 80445 | Nickel plated watertight cable gland of M16 |
| 20 | 11564 | M 16 grey rubber cable gland |
| 21 | 30038 | Yellow and green conductive block 6 mm ² |
| 22 | 30011 | 230 Volt coil switch for sprayer |
| 23 | 80467 | Grey conductor block 4 mm ² |